


Highlights

- A total of 229,572 consultations were recorded in all the 14 governorates
- The leading causes of morbidity among all age groups were Influenza Like Illness 14,272 (50.34%) and Acute Diarrhea 8,862 (31.26%).
- 60 suspected measles cases in Aleppo (12) Idleb (12) Deir-ez-Zor (8) Rural Damascus (6) Hama (6) Daraa (4) Damascus (4) Al-Hasakeh (3) Ar-Raqqa (2) Homs (2) Quneitra (1)

Performance Indicators

- A total of 1,275 out of 1,502 active reporting sites (84.89%) in all 14 governorates of Syria reported through EWARS, with 89.41% timeliness among those sites providing data during the week (Figure 1)



Morbidity

- A total of 229,572 consultations were recorded in 1275 health facilities in 14 governorates. Among them, 28,350 cases were EWARS notifiable health conditions (Figure 2)
- The leading causes of morbidity among all age groups were Influenza Like Illness 14,272 (50.34%) and Acute Diarrhea 8,862 (31.26%).
- Of the 28,350 total reported cases, 51.84% (14,696) were female, and 41.4% (11,737) were children under 5 years old.
- Children under 5 years of age 49.19% of cases are ILI, and ILI representing 51.16% of the cases above 5 years during this reporting period (Figure 3)
- The proportional morbidity of ILI is 6.22% and the downwards trend was observed: 0.33% from the previous week (Figure 4)
- The proportional morbidity of AD is 3.86% and the upwards trend was observed: 0.25% from the previous week (Figure 4)

Figure 3: Proportional morbidity by age group






Figure 4: Proportion of Morbidity of top 4 diseases among the total consultation by week



1. Waterborne Diseases

- There was 0 case of acute watery diarrhea (AWD)
- A total of 8,862 AD cases were reported during this week


Figure 5: Number of acute diarrhea by week



2. Vaccine Preventable Diseases

- 0 cases of acute flaccid paralysis (AFP) were reported in this week
- Number of suspected measles in thre reporting week was (60) cases. Most cases were reported from Aleppo (12) Idleb (12) Deir-ez-Zor (8) Rural Damascus (6) Hama (6) Daraa (4) Damascus (4) Al-Hasakeh (3) Ar-Raqqa (2) Homs (2) Quneitra (1).


Figure 6: Suspected measles cases by week



3. Respiratory Diseases

- In total, 14,272 ILI cases were reported during week.
- In total, 318 SARI cases were reported, and the trend is shown in (Figure 7). Most of the cases were reported from Al-Hasakeh (84) Damascus (65) Hama (60) Deir-ez-Zor (29) Tartous (26) Aleppo (14) Daraa (11) Ar-Raqqa (8) Rural (7) Lattakia (5) As-Sweida (4) Homs (4) Quneitra (1)


Figure 7: SARI cases by week



4. Other Diseases

- 4308 cases were reported as "other diseases" through EWARS. The health conditions with the highest incidents were Leishmaniasis (1,083) Lice (939) and Scabis (858)
- During this week, most of suspected leishmaniasis cases were reported from Aleppo (623) Hama (213) Idleb (103)

Figure 8: Suspected Leishmaniasis cases by week



Comparison with Previous Week by Health Condition

DiseaseName	24W15	24W16	24W17	24W18	Total
Acute bloody diarrhea	77	112	143	81	413
Acute Diarrhea	7,871	11,102	11,258	8,862	39,093
Acute Flaccid Paralysis	2	2	5	0	9
Acute Watery diarrhea (suspected cholera)	1	2	3	0	6
Brucellosis	78	173	260	227	738
chicken pox	196	261	335	247	1,039
Influenza Like Illness	12,320	19,282	20,419	14,272	66,293
Leishmaniasis	271	1,174	1,557	1,083	4,085
Lice	606	955	992	939	3,492
Measles and Rubella	26	42	48	60	176
Meningitis	34	34	46	31	145
Mumps	43	48	39	37	167
Others	248	619	496	547	1,910
Pertussis	145	184	232	104	665
SARI	261	371	370	318	1,320
Scabis	355	822	1,030	858	3,065
Suspected Hepatitis (Jaundice)	400	560	556	418	1,934
Tuberculosis	12	58	99	46	215
Typhoid Fever	225	251	303	220	999
Total	23,171	36,052	38,191	28,350	125,764

Case Distribution by Age Group, and by Governorate

Week

2024 Week 18 (29 April - 5 May 2024)

DiseaseGroup	Aleppo	Al-Hasakeh	Ar-Raqqa	As-Sweida	Damascus	Daraa	Deir-ez-Zor	Hama	Homs	Idleb	Lattakia	Quneitra	Rural Damascus	Tartous	Total
▼ Priority Diseases	3,491	1,990	1,441	79	1,391	698	1,945	697	575	6,629	1,805	233	1,819	1,249	24,042
Suspected Hepatitis (Jaundice)	40	0	126	4	26	9	58	16	37	43	23	12	14	10	418
Less than 5 years	5	0	81	0	7	0	42	6	7	16	2	12	0	0	178
5 years or more	35	0	45	4	19	9	16	10	30	27	21	0	14	10	240
SARI	14	84	8	4	65	11	29	60	4	0	5	1	7	26	318
Less than 5 years	5	47	8	0	14	7	13	34	0	0	0	0	0	12	140
5 years or more	9	37	0	4	51	4	16	26	4	0	5	1	7	14	178
Meningitis	3	7	5	0	3	0	0	1	0	11	0	0	1	0	31
Less than 5 years	3	6	5	0	1	0	0	0	0	4	0	0	1	0	20
5 years or more	0	1	0	0	2	0	0	1	0	7	0	0	0	0	11
Measles and Rubella	12	3	2	0	4	4	8	6	2	12	0	1	6	0	60
Less than 5 years	6	2	2	0	2	1	6	3	2	3	0	1	3	0	31
5 years or more	6	1	0	0	2	3	2	3	0	9	0	0	3	0	29
Influenza Like Illness	2,500	1,135	702	49	924	430	923	379	374	2,906	1,387	144	1,417	1,002	14,272
Less than 5 years	795	467	368	8	279	147	458	194	133	1,434	543	65	530	352	5,773
5 years or more	1,705	668	334	41	645	283	465	185	241	1,472	844	79	887	650	8,499
Acute Watery diarrhea (suspected cholera)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Less than 5 years	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5 years or more	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Acute Flaccid Paralysis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Less than 5 years	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5 years or more	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Acute Diarrhea	922	742	578	22	368	236	894	235	158	3,657	390	75	374	211	8,862
Less than 5 years	444	440	315	6	183	85	496	125	56	1,827	139	31	151	65	4,363
5 years or more	478	302	263	16	185	151	398	110	102	1,830	251	44	223	146	4,499
Acute bloody diarrhea	0	19	20	0	1	8	33	0	0	0	0	0	0	0	81
Less than 5 years	0	10	4	0	1	4	23	0	0	0	0	0	0	0	42
5 years or more	0	9	16	0	0	4	10	0	0	0	0	0	0	0	39
Other Diseases	1,043	500	231	9	38	81	562	412	109	878	306	23	79	37	4,308
Typhoid Fever	3	1	53	0	0	12	77	4	1	66	0	0	3	0	220
Less than 5 years	2	0	3	0	0	0	10	0	1	44	0	0	0	0	60
5 years or more	1	1	50	0	0	12	67	4	0	22	0	0	3	0	160
Tuberculosis	16	0	0	1	1	0	1	0	0	8	17		2	0	46
Less than 5 years	0	0	0	0	0	0	0	0	0	1			0	0	1
5 years or more	16	0	0	1	1	0	1	0	0	7	17		2	0	45
Scabis	184	66	28	2	17	1	251	60	64	37	138	0	5	5	858
Less than 5 years	46	17	8	0	2	0	60	19	11	1	14	0	3	1	182
5 years or more	138	49	20	2	15	1	191	41	53	36	124	0	2	4	676
Pertussis	3	0	19	0	4	0	66	0	0	12	0	0	0	0	104
Less than 5 years	3	0	13	0	4	0	47	0	0	6	0	0	0	0	73
5 years or more	0	0	6	0	0	0	19	0	0	6	0	0	0	0	31
Others	3	352	58	0	1	42	19	7	23	1	4	12	24	1	547
Less than 5 years	0	154	23	0	0	4	9	1	7	0	1	12	4	0	215
5 years or more	3	198	35	0	1	38	10	6	16	1	3	0	20	1	332
Mumps	2	1	0	0	0	0	0	0	0	34	0	0	0	0	37
Less than 5 years	1	1	0	0	0	0	0	0	0	1	0	0	0	0	3
5 years or more	1	0	0	0	0	0	0	0	0	33	0	0	0	0	34
Lice	170	45	2	0	3	16	60	51	3	490	56	1	15	27	939
Less than 5 years	37	17	0	0	0	6	7	14	2	229	8	0	4	0	324
5 years or more	133	28	2	0	3	10	53	37	1	261	48	1	11	27	615
Leishmaniasis	623	6	48	0	3	0	9	213	8	103	65	0	1	4	1,083
Less than 5 years	105	2	10	0	0	0	2	22	1	33	9	0	0	0	184
5 years or more	518	4	38	0	3	0	7	191	7	70	56	0	1	4	899
chicken pox	21	26	1	4	3	5	44	5	6	102	5	9	16	0	247
Less than 5 years	10	10	0	4	1	1	16	3	3	47	2	9	6	0	112
5 years or more	11	16	1	0	2	4	28	2	3	55	3	0	10	0	135
Brucellosis	18	3	22	2	6	5	35	72	4	25	21	1	13	0	227
Less than 5 years	2	0	0	1	0	0	9	11	0	9	2	1	1	0	36
5 years or more	16	3	22	1	6	5	26	61	4	16	19	0	12	0	191
Total	4,534	2,490	1,672	88	1,429	779	2,507	1,109	684	7,507	2,111	256	1,898	1,286	28,350