

Table 3 Clients' motives and sources of information at voluntary counselling and testing (VCT) services by type of centre

Variable	Mobile VCT (n = 585)		Fixed VCT (n = 343)		Total (n = 928)		χ^2 -value	P-value
	No.	%	No.	%	No.	%		
<i>Motives for using the service</i>								
Risky sexual behaviour	188	32.1	129	37.6	317	34.2	2.88	0.090
Previous blood transfusion	157	26.8	50	14.6	207	22.3	18.75	0.001
Planning to get married	101	17.3	42	12.2	143	15.4	4.18	0.041
Injecting drug user	84	14.4	47	13.7	131	14.1	0.06	0.782
New sexual partner	61	10.4	68	19.8	129	13.9	15.96	0.001
Partner has risky sexual behaviour	74	12.6	39	11.4	113	12.2	0.33	0.565
Referred by health worker	43	7.4	37	10.8	80	8.6	3.24	0.072
Previous HIV testing	23	3.9	14	4.1	37	4.0	0.01	0.910
Other	68	11.6	22	6.4	90	9.7	6.70	0.010
<i>Source of information about VCT</i>								
Relative/friend	159	27.2	144	42.0	303	32.7	21.55	0.001
Poster	184	31.5	43	12.5	227	24.5	41.87	0.001
Health worker	149	25.5	68	19.8	217	23.4	3.85	0.050
Lecture	177	30.3	9	2.6	186	20.0	103.00	0.001
Another VCT client	121	20.7	59	17.2	180	19.4	1.68	0.195
Pamphlet	86	14.7	64	18.7	150	16.2	2.50	0.114
Sex partner/spouse	24	4.1	41	12.0	65	7.0	20.46	0.001
Television	36	6.2	20	5.8	56	6.0	0.04	0.842
Newspaper	13	2.2	6	1.7	19	2.0	0.24	0.623
Telephone hotline	1	0.2	18	5.2	19	2.0	27.79	0.001
Radio	15	2.6	3	0.9	18	1.9	3.25	0.072
Other	143	24.4	15	4.4	158	17.0	61.66	0.001