

**Table 3 Characteristics of participants with fever**

<b>Characteristic</b>	<b>No.</b>	<b>%</b>	<b>95% CI</b>
<b>Sex</b>			
Male ( <i>n</i> = 693)	39	5.6	4.09–7.54
Female ( <i>n</i> = 682)	25	3.64	2.37–5.33
<b>Age</b>			
< 5 years ( <i>n</i> = 255)	12	4.7	2.57–7.86
5–14 years ( <i>n</i> = 409)	18	4.4	2.71–6.74
15+ years ( <i>n</i> = 711)	34	4.8	3.39–6.54
<b>Wealth ranking</b>			
Lower tertile ( <i>n</i> = 374)	13	3.5	1.86–5.87
Middle tertile ( <i>n</i> = 662)	41	6.2	4.48–8.31
Upper tertile ( <i>n</i> = 339)	10	2.9	1.42–5.35
<b>Symptoms associated with fever (<i>n</i> = 64)</b>			
Headache	21	32.8	
Body ache	10	15.6	
Nausea/vomiting	1	1.5	
Abdominal pain	7	10.9	
Diarrhoea	6	9.4	
Running nose	10	15.6	
Sore throat	5	7.8	
Cough	38	59.4	
Breathing difficulty	6	9.4	

*CI = confidence interval.*