

Table 1 Obstetric outcomes in pregnant Saudi Arabian women after admission to hospital due to trauma

Outcome	No.	%
Women who had pregnancy loss (n = 118)		
<i>Outcome</i>		
Abortion	59	50.0
Intrauterine fetal death	34	28.8
Non-viable birth (< 28 weeks)	25	21.2
<i>Course of condition^a</i>		
Abruptio placentae	58	49.2
Preterm rupture of membranes	14	11.9
Co-morbidity	7	5.9
No data found	46	38.9
Women who did not have pregnancy loss (n = 308)		
<i>Course of pregnancy^a</i>		
Uncomplicated pregnancy	184	59.7
Abruptio placentae	54	17.5
Preterm labour	45	14.6
PROM	35	11.4
Co-morbidity	16	5.2
<i>Delivery</i>		
After trauma period ^b	292	63.6
During the trauma period ^b	16	3.5
<i>Delivery mode</i>		
Normal vaginal	176	57.1
Assisted	81	26.3
Caesarean	51	16.6
<i>At birth cardiotocography</i>		
Reassuring	162	52.6
Non reassuring	79	25.8
Ominous	67	21.8
<i>Neonatal outcome</i>		
Normal	179	58.1
Respiratory problems	85	27.6
Low birth weight	44	14.3

^aThe sum of the percentage exceeds the total item percentage due to the co-morbid findings.

^bTrauma period is 1 month after the trauma.

PROM = premature rupture of membranes.