

Table 1 Immunohistochemistry of 32 tissue blocks from patients with colorectal cancer

Source/location	No.	Strong nuclear reactivity to :					
		<i>hMSH2</i>			<i>hMSH6</i>		
		Normal tissue	Adenoma	Colorectal cancer	Normal tissue	Adenoma	Colorectal cancer
Rectum	13	13 (100)	2 (100)	12 (92.3)	13 (100)	2 (100)	12 (92.3)
Sigmoid	10	10 (100)	2 (100)	10 (100)	10 (100)	2 (100)	10 (100)
Cecum	2	2 (100)	- (-)	2 (100)	2 (100)	- (-)	2 (100)
Hepatic flexure	2	2 (100)	- (-)	2 (100)	2 (100)	- (-)	2 (100)
Rectosigmoid	2	2 (100)	- (-)	2 (100)	2 (100)	- (-)	2 (100)
Ascending colon	1	1 (100)	- (-)	1 (100)	1 (100)	- (-)	1 (100)
Descending colon	1	1 (100)	- (-)	1 (100)	1 (100)	- (-)	1 (100)
Transverse colon	1	1 (100)	- (-)	1 (100)	1 (100)	- (-)	1 (100)
Total	32	32 (100)	4 (100)	31 (96.9)	32 (100)	4 (100)	31 (96.9)

Values are numbers (percentages).