

**Table 2 Comparison of responses of mothers and employers regarding breastfeeding facilities provided in workplaces**

| Workplace breastfeeding facilities           | Mothers responding yes |     | Employers responding yes |     | Test of difference in proportion (95% CI) | <i>P</i> value |
|----------------------------------------------|------------------------|-----|--------------------------|-----|-------------------------------------------|----------------|
|                                              | No.                    | %   | No.                      | %   |                                           |                |
| Breastfeeding breaks                         | 36                     | 12  | 285                      | 96  | 84 (80–88)                                | <0.001         |
| Breastfeeding corners                        | 2                      | 0.7 | 17                       | 6   | 5 (2–7)                                   | <0.001         |
| Breast milk pump                             | 2                      | 0.7 | 3                        | 1   | 0.03 (0.01–0.081)                         | 0.653          |
| Jobsite crèche for child care                | 2                      | 0.7 | 5                        | 1.7 | 0.01 (-0.02–0.07)                         | 0.254          |
| Paid maternity leave                         | 255                    | 86  | 297                      | 100 | 14 (10–18)                                | <0.001         |
| Lighter job or task adjustment               | 45                     | 15  | 134                      | 45  | 30 (23–37)                                | <0.001         |
| Breastfeeding options (part-time work, etc.) | 16                     | 5   | 63                       | 21  | 16 (11–21)                                | <0.001         |