

Table 2 Service use for mental/drug and medical problems in the past 12 months in individuals with DUD, other MD and no MD

Types of services	DUD (n = 151)		Other MD (n = 1729)		No MD (n = 5961)	
	N	Weighted %	N	Weighted %	N	Weighted %
<i>Health care for mental/drug problems</i>						
Inpatient care	23	14.9 (8.1-21.6)	22	1.2 (0.7-1.8)	11	0.2 (0.05-0.3)
Outpatient care	42	29.0 (20.1-37.8)	560	29.4 (26.7-32.1)	534	8.3 (7.4-9.1)
Pharmacy	57	40.7 (31.2-50.2)	416	23.5 (21.2-25.9)	345	5.8 (5.0-6.5)
Drop-in centres	1	0.6 (0-1.8)	0	0	1	0.03 (0-0.08)
<i>Non-health care for mental/drug problems</i>						
Services for self-help group	41	30.1 (21.0-39.2)	18	1.0 (0.5-1.6)	29	0.5 (0.3-0.7)
Traditional services	61	40.5 (31.3-49.8)	458	24.7 (22.1-27.2)	379	6.2 (5.5-7.0)
<i>Health care for medical illness</i>						
Medical hospitalization	23	14.3 (7.5-21.0)	188	10.2 (8.5-11.8)	432	7.0 (6.2-7.8)
Outpatient service for medical illness*	39	28.4 (19.5-37.3)	498	28.9 (26.4-31.5)	1209	20.0 (18.7-21.3)

*Outpatient service for medical illness was determined only for the past 2 weeks. DUD = drug use disorder; MD = mental disorder.