

**Table 2 Logistic regression model for use of modern versus traditional contraceptive methods, Jordan Demographic and Health Survey 2012**

<b>Variable</b>	<b>B</b>	<b>Standard error</b>	<b>t-value</b>	<b>P-value</b>	<b>Odds ratio</b>	<b>95% confidence interval</b>
<b>Husband's desire for children</b>						
Both want same	0.006	0.225	0.026	0.979	1.006	0.647-1.565
Husband wants more	0.129	0.247	0.521	0.602	1.137	0.700-1.848
Husband wants fewer	-0.043	0.250	-0.171	0.864	0.958	0.587-1.565
Do not know (ref)					1.000	
<b>Woman's education</b>						
None	-0.230	0.337	-0.683	0.495	0.794	0.410-1.540
Primary	-0.274	0.245	-1.116	0.265	0.761	0.470-1.231
Secondary	0.081	0.118	0.683	0.495	1.084	0.859-1.367
Higher(ref)					1.000	
<b>Region</b>						
Central	0.211	0.087	2.421	0.016	1.235	1.041-1.465
North	0.151	0.087	1.742	0.082	1.163	0.981-1.378
South (ref)					1.000	
<b>Residence</b>						
Urban	0.185	0.087	2.128	0.034	1.203	1.014-1.427
Rural (ref)					1.000	
<b>Mother's current age</b>	0.027	0.010	2.714	0.007	0.974	0.955-0.993
<b>Parity</b>	0.152	0.038	3.997	0.000	1.164	1.080-1.254