

Table 4 Scores for epidemiological criteria for viral haemorrhagic fever in countries of the Eastern Mediterranean Region, 1995–2015

Country	Criterion						Total score
	Reported cases	Reported deaths	Prevalence in general population	Prevalence in high-risk groups	Prevalence in vectors	Prevalence in reservoir	
Afghanistan	6	2	2	7	0	2	19
Bahrain	0	0	0	0	0	0	0
Djibouti	2	0	5	1	0	0	8
Egypt	4	2	2	5	2	1	16
Iraq	2	2	0	0	0	0	4
Islamic Republic of Iran	3	1	3	3	2	4	16
Jordan	0	0	0	1	0	0	1
Kuwait	0	0	0	3	0	2	5
Lebanon	0	0	0	0	1	0	1
Libya	0	0	0	0	0	0	0
Morocco	2	2	2	0	1	3	10
Oman	2	3	0	2	2	2	11
Pakistan	6	4	0	2	0	0	12
Palestine	0	0	0	0	0	0	0
Qatar	0	0	0	0	0	0	0
Saudi Arabia	6	5	2	8	2	3	26
Somalia	3	2	0	0	0	2	7
Sudan	9	9	0	2	0	1	21
Syrian Arab Republic	0	0	0	0	1	0	1
Tunisia	2	2	2	2	0	1	9
United Arab Emirates	1	2	0	1	0	0	4
Yemen	3	3	0	0	0	2	8