

**Table 3 Injection provision**

<b>Injection provision</b>	<b>Total Mean (SD)</b>	<b>Rawalpindi Mean (SD)</b>	<b>Tando Allah Yar Mean (SD)</b>	<b>P</b>
<b><i>Intramuscular injections provided daily</i></b>				
All	9.4 (9.6)	8.8 (9.6)	10.0 (9.6)	0.134
Rural	9.8 (9.3)	8.2 (7.6)	10.8 (10.0)	0.020
Urban	9.1 (9.8)	9.2 (10.4)	8.9 (8.7)	0.819
<b><i>Intravenous injections provided daily</i></b>				
All	3.7 (4.5)	3.5 (3.7)	3.9 (4.9)	0.298
Rural	3.6 (4.2)	2.8 (3.4)	3.9 (4.4)	0.057
Urban	3.7 (4.7)	3.8 (3.8)	3.9 (5.6)	0.938
<b><i>Intravenous drips provided daily</i></b>				
All	1.7 (3.8)	2.3 (3.9)	1.4 (3.8)	0.037
Rural	1.6 (3.3)		1.0 (1.6)	0.003
Urban	1.9 (4.4)	1.6 (1.5)	2.1 (5.7)	0.370
<b><i>Injections of any kind daily</i></b>				
All	15.7 (13.4)	17.6 (15.6)	14.8 (12.6)	0.083
Rural	15.4 (11.9)	17.1 (14.5)	14.8 (10.9)	0.302
Urban	16.0 (15.1)	18.1 (15.6)	14.8 (14.9)	0.193
<b><i>Providers that are most likely to reuse syringes daily</i></b>				
	<b>n (%)</b>	<b>n (%)</b>	<b>n (%)</b>	<b>n (%)</b>
All	262 (47%)	140 (48%)	122 (46%)	0.637
Rural	127 (49%)	49 (52%)	78 (48%)	0.538
Urban	135 (45%)	91 (46%)	44 (44%)	0.744