

Table 2 Drug abuse in the last month in relation to students' gender

Variables	Male (n = 1066)		Female (n = 1186)		Total (n = 2252)		χ^2	P
	n	%	n	%	n	%		
Tobacco	192	18.0	8	0.7	200	8.9	208.52	0.001
Alcohol	58	5.4	3	0.6	61	2.7	57.34	0.001
Tranquilizers	39	3.7	58	4.9	97	4.3	2.07	0.151
Tramadol	21	2.0	1	0.1	22	1.0	20.64	0.001
Opioid analgesics	3	0.3	5	0.4	8	0.4	FE	0.729
Hashish	81	7.6	0	0.0	81	3.6	93.48	0.001
Bhang	31	2.9	0	0.0	31	1.4	34.97	0.001
Amphetamines	5	0.5	1	0.1	6	0.3	FE	0.107
Cocaine	1	0.1	0	0.0	1	0.04	FE	0.473
Hallucinogens	4	0.4	0	0.0	4	0.2	FE	0.050
Crack	3	0.3	0	0.0	3	0.1	FE	0.106
Opioids	7	0.7	0	0.0	7	0.3	FE	0.005
Heroin	5	0.5	0	0.0	5	0.2	FE	0.024
Synthetic cannabinoids	7	0.7	0	0.0	7	0.3	FE	0.005
Parkinol	5	0.5	0	0.0	5	0.2	FE	0.024
Vodo	4	0.4	0	0.0	4	0.2	FE	0.050
Inhalants	4	0.4	1	0.1	5	0.2	FE	0.196
Injecting drugs								
Ever in life	33	3.1	8	0.7	41	1.8	18.41	0.001
Last 6 months	23	2.2	1	0.1	24	1.1	22.89	0.001
Last month	15	1.4	1	0.1	16	0.7	13.93	0.001

FE = Fisher's exact test.