

Table 1. Participants' characteristics and their effects on prevalence of probable post-traumatic stress disorder

	Frequency	%	Prevalence of probable post-traumatic stress disorder (%)	P
<b>Gender</b>				
Female	647	58.8	386 (59.7)	<0.001
Male	453	41.2	221 (48.8)	
<b>Educational attainment</b>				
Primary school and below	223	20.3	129 (57.8)	0.818
Middle school	99	9.0	54 (54.5)	
High school	388	35.3	209 (53.9)	
Higher education	390	35.5	215 (55.1)	
<b>Marital status</b>				
Single	507	46.1	261 (51.5)	0.070
Married	525	47.7	305 (58.1)	
Divorced-widowed	68	6.2	41 (60.3)	
<b>Place of residence</b>				
Hatay	487	44.3	309 (63.4)	<0.001
Kahramanmaras	171	15.5	91 (53.2)	
Malatya	129	11.7	77 (59.7)	
Adana	104	9.5	39 (37.5)	
Gaziantep	69	6.3	31 (44.9)	
Other	140	12.7	60 (42.9)	
<b>Employment status</b>				
Employed	363	33.0	186 (51.2)	0.060
Unemployed	619	56.3	361 (58.3)	
Retired	118	10.7	60 (50.8)	
<b>Socioeconomic status</b>				
Very low	146	13.3	113 (77.4)	<0.001
Low	239	21.7	160 (66.9)	
Middle	605	55.0	287 (47.4)	
High/very high	110	10.0	47 (42.7)	
<b>Smoking</b>				
Yes	386	35.1	243 (63.0)	<0.001
Quitted	137	12.5	83 (60.6)	
Never	577	52.5	281 (48.7)	
<b>Alcohol use</b>				
Yes	184	16.7	116 (63.0)	0.019
No	916	83.3	491 (53.6)	
<b>Sleep status</b>				
Regular	206	18.7	70 (34.0)	<0.001
Sometimes irregular	544	49.5	296 (54.4)	
Mostly irregular	350	31.8	241 (68.9)	
<b>Chronic disease</b>				
Yes	241	21.9	162 (67.2)	<0.001
No	859	78.1	445 (51.8)	
<b>Disability</b>				
Yes	36	3.3	20 (55.6)	0.963
No	1064	96.7	587 (55.2)	