

**Table 1 Identification of bacteria from urinary stones from 78 patients**

<b>Bacterium</b>	<b>Females (n = 21)</b>		<b>Males (n = 57)</b>		<b>Total (n = 78)</b>	
	<b>No.</b>	<b>%</b>	<b>No.</b>	<b>%</b>	<b>No.</b>	<b>%</b>
<i>Urease producing</i>						
<i>Staphylococcus aureus</i>	3	14.3	2	3.5	5	6.4
<i>Staphylococcus epidermidis</i>	2	9.5	2	3.5	4	5.1
<i>Proteus</i> spp.	1	4.8	2	3.5	3	3.8
<i>Klebsiella</i> sp.	0	–	1	1.8	1	1.3
<i>Pseudomonas aeruginosa</i>	0	–	1	1.8	1	1.3
<i>Non-urease producing</i>						
<i>Escherichia coli</i>	2	9.5	0	–	2	2.6
<i>Serratia marcescens</i>	1	4.8	0	–	1	1.3
<i>Acinetobacter</i> sp.	1	4.8	0	–	1	1.3
<i>Enterococcus faecalis</i>	1	4.8	0	–	1	1.3
<b>Total</b>	<b>11</b>	<b>52.4</b>	<b>8</b>	<b>14.0</b>	<b>19</b>	<b>24.4</b>