

Table 1 Risk factors for antenatal depression among the study sample of pregnant women in their 3rd trimester

Variable	Total	Screened negative		Screened positive			
	(n = 506)	EPDS score < 10		EPDS score 10–12		EPDS score > 12	
	No.	No.	%	No.	%	No.	%
Age (years)							
< 20	9	1	11.1	0	0.0	8	88.9
20–35	477	116	24.3	49	10.3	312	65.4
> 35	20	9	45.0	4	20.0	7	35.0
Pregnancy							
Unplanned	233	58	24.9	27	11.6	148	63.5
Planned	276	68	24.6	26	9.4	179	64.9
Fear of childbirth							
Yes	334	74	22.2	40	12.0	220	65.9
No	172	52	30.2	13	7.6	107	62.2
Miscarriage or intrauterine death							
Yes	180	39	21.7	22	12.2	119	66.1
No	326	87	26.7	31	9.5	208	63.8
Lack of support							
Yes	93	22	23.7	9	9.7	62	66.7
No	413	104	25.2	44	10.7	265	64.2
Separation from husband							
Yes	52	7	13.5	10	19.2	35	67.3
No	454	120	26.4	43	9.5	292	64.3
Domestic violence							
Yes	17	1	5.9	4	23.5	12	70.6
No	492	125	25.4	49	10.0	315	64.0
Drug abuse							
Yes	26	4	15.4	3	11.5	19	73.1
No	480	122	25.4	50	10.4	308	64.2
Previous psychiatric illness							
Yes	34	6	17.6	3	8.8	25	73.5
No	472	120	25.4	50	10.6	302	64.0
Family history of psychiatric illness							
Yes	48	20	41.7	3	6.3	25	52.1
No	458	106	23.1	50	10.9	302	65.9