

Table 2 Use of preventive measures among domestic hajjis from Riyadh

Preventive measures	n	%
Face mask (n = 1507)		
Most of the time	216	14.3
Sometimes	368	24.4
Occasionally	267	17.7
Never	656	43.5
Face cover (n = 577)		
Most of the time	300	52.0
Sometimes	25	4.3
Occasionally	8	1.4
Never	244	42.3
Eat usually (n = 1507)		
Street vendor	272	18.0
Hamla	1109	73.6
Self cooked food	126	8.4
Eat raw food/vegetables: (n = 1507)	1265	83.9
Shaved head (n = 930)		
Did not shave	375	40.3
Shaved:	555	59.7
By licensed barber	392	70.6
By unlicensed barber	56	10.1
By another hajji	107	19.3
Ask for new blade	532	95.9
Scalp wounds	126	13.5
Animal slaughter: (n = 930)	11	1.2
Hand washing (n = 1507)		
Less than 5 times/day	146	9.7
More than 5 times/day	1361	90.3
Using hand sanitizer: (n = 1507)	686	45.5
Source of drinking water (n = 1507)		
Bottled water	1340	88.9
Shared water	41	2.7
Public water	334	22.2
Smoking (n = 1507)	307	20.4

More than one source of drinking water were reported.