

Jordan Primary Health Care Vital Signs Profile

Governance

Inputs

Management

Primary Health Care Progression Model⁴

Population Health & Facility

c**o phcpi**

\$ FINANCING

EMRO WHO estimates (2015)

PHC spending:



Prioritization of PHC:


Overall health spending¹

45% on PHC

Government health spending²

37% on PHC

Sources of PHC spending:



COUNTRY CONTEXT AT-A-GLANCE



Note: Indicator values presented here may differ from country data sources due to the use of standardized categories and methods to enhance international comparability. See Indicator Description Sheet for details.

and poor (red) performance, where comparable data are available. Cut-offsce to funct good getter, in meaning the stand poor (red) performance, where comparable data are available. Cut-offsce to found in the Indicator Description Sheet. Scores based on data from non-comparable sources are colored gray. Finance indicators are not color-coded because these indicators lack common targets.

Current PHC expenditure as % of Current Health Expenditure (CHE)

- Domestic general government PHC expenditure as % of domestic general government health expenditure Domestic general government PHC expenditure as % of current PHC expenditure The PHC Progression Model uses mixed methods to assess foundational capacities of PHC on a scale from 1 (low)
- to 4 (high) Because different data/indicators are used in each country, composite index values may not be comparable across countries. See page 2 for the specific indicators used in this VSP.
- site coverage index is a weighted score reflecting coverage of eight RMNCH interventions along the continuun of care (http://www.who.int/gho/health_equity/report_2015/en/) Does not include ORS or careseeking for Pneumonia Deaths of children before age 5, per 1,000 live births
- Domestic general government health expenditure as % of gross domestic product (GDP) MMR value 30 (MMSR Annual Report 2018)
- Probability of dying between ages 30 and 70 from cardiovascular disease, cancer, diabetes, or chronic respiratory disease
 Communicable, maternal, perinatal, and nutritional conditions
- Last updated 11/2020

Access Index⁵

DHS Report (2018)

PERFORMANCE



Quality Index⁵

100

Service Coverage Index

2019 Regional core indicators booklet, 2019 UHC Global Monitoring Report, DHS 2017



ATA EQUITY

Access: % with perceived barriers due to cost, by wealth quintile

DHS Report (2018)



Coverage of RMNCH⁶ services, by mother's education

DHS Report (2018)



Outcomes: Under-five mortality⁷, by residence

DHS Report (2018)





Organization	for every child				
REGIONAL OFFICE FOR THE Eastern Mediterranean					
Jordan	S	SCORE	PERCENTAGE	SOURCE	YEAR
ACCESS		78			
Financial					
Perceived access barrier	s due to treatment costs*		22%	DHS	2018
Geographic					
Perceived access barrier	s due to distance*		22%	DHS	2018
QUALITY					
Comprehensiveness					
No recent indicator availe	able from international or nat	tional data	sources		
Continuity					
DTP3 dropout rate*			2%	Global Estimate	
Treatment success rate f	or new TB cases		89%	Regional core indicators booklet	2018
Person-Centeredness					
No recent indicator availe	able from international or nat	tional data	sources		
Provider availability					
No recent indicator availe	able from international or nat	tional dat <mark>a</mark>	sources		
Safety					
No recent indicator availe	able from international or nat	tional data	sources		
SERVICE COVERAGE		66			
Reproductive, Maternal,	Newborn and Child Health				
Demand for family plann	ing satisfied with modern m	ethods	56%	UHC Global Monitoring Report	2019
Antenatal care coverage	(4+ visits)		95%	UHC Global Monitoring Report	2019
Coverage of DTP3 immur			99%	UHC Global Monitoring Report	2019
Care-seeking for suspect	ed child pneumonia		72%	UHC Global Monitoring Report	2019
Infectious diseases					
Tuberculosis cases detected and treated with success		S	71%	UHC Global Monitoring Report	2019
· · ·	ceiving anti-retroviral treatm	nent	72%	UHC Global Monitoring Report	2019
Children under 5 with dia	, i i i i i i i i i i i i i i i i i i i		40%	Regional core indicators booklet	2018
Non-Communicable Dise	ases (NCDs)				

*Indicators where lower values are preferable were transformed before inclusion in the index. The modified indicator was defined as 100-X, where X is the original percentage shown in this table. **Country-specific (proxy) indicator, used in absence of globally comparable survey data. ***Percentage of adult population with normal blood pressure is based on agestandardized estimates. These distributions are rescaled to provide finer resolution before inclusion in the index. Rescaled indicator = (X-50)/ (100-50)*100, where X is the prevalence of normal blood pressure. For more details see Tracking UHC: 2017 Global Monitoring Report. Note: Summary scores for the domains of Access, Quality, and Coverage are calculated by taking the average of indicator values within each subdomain, and then taking the average across subdomain scores.